



Notes:

1. Material is 316 Stainless Steel
2. Edges should be radiused
3. Corners should be rounded where possible.



S/N	BEATRIX	- KELLY-PETERSON 44	TITLE	REV	SCALE	PAGE	DATE	DRAWN BY
	#286 (1980)		Deck Hardware - Starboard Foot Block Mou	B	1 : 2	3 OF 6	02/02/2004	JEFF STANDER

Mounting Holes:  
0.3125 dia



S/V BEATRIX - KELLY-PETERSON 44  
#286 (1980)

TITLE  
Deck Hardware - Stbd Foot Block Mount View "A"


REV  
B

SCALE  
1 : 1

PAGE  
4 OF 6

DATE  
02/02/2004

DRAWN BY  
JEFF STANDER



HARKEN B2114 BLK-100MM  
DOUBLE OPENING FOOT BLOCK

Sheave dia. (in) 3 15/16 16  
 Max. line dia. (in) 9/16  
 Length (in) 5 1/2  
 Height (in) 2 13/16  
 Weight (oz) 47 1/2  
 SWL (lb) 4409  
 Breaking strength (lb) 8818  
 Fasteners (in) 3 x 5/16 FH



Dimensions			Face Plate Dimensions	Pull Strength (lbs.)	Aftermarket Packaging*
A	B	C			
5/16" dia.	3-8"-16 x 2-7/16"	1-1/16"	2-1/2" x 1"	6,000	66263-3
7/16" dia.	1/2"-13 x 3-1/4"	1-9/16"	2-3/4" x 3/4"	12,000	66261-3
7/16" dia.	1/2"-13 x 3-1/4"	1-9/16"	3-1/2" x 1-3/4"	12,000	66262-3

ATTWOOD U-BOLTS

